





Hacierba[®] 1.500.90BE ArcelorMittal

Wall liner trays

Geel (BE)



Surface mass

Thickness (mm)	0.75	0.88	1.00
Mass (kg/m ²)	8.77	10.29	11.70
Max. length per weight (mm)	17 000	14 600	12 900

Minimum length 1,800 mm /
Maximum length 17,000 mm
Shorter lengths up to 500 mm are available on request.

Table of use

Normal permissible loads in kN/m² depending on the spans of use for equal spans

	2 SUPPORTS ▲—▲			Span (m)	3 SUPPORTS ▲—▲—▲			
	Thickness (mm)				Thickness (mm)			
	0.75	0.88	1.00		0.75	0.88	1.00	
Pressure	1.22	1.43		4.00	1.48			Pressure
Underpressure	0.88	1.04			1.32			Underpressure
Pressure	1.07	1.26	1.43	4.25	1.34			Pressure
Underpressure	0.77	0.90	1.02		1.15			Underpressure
Pressure	0.95	1.11	1.26	4.50	1.22	1.44		Pressure
Underpressure	0.67	0.78	0.89		1.01	1.18		Underpressure
Pressure	0.81	0.95	1.08	4.75	1.12	1.32		Pressure
Underpressure	0.59	0.69	0.78		0.89	1.04		Underpressure
Pressure	0.69	0.81	0.92	5.00	1.01	1.18	1.35	Pressure
Underpressure	0.52	0.61	0.69		0.79	0.92	1.05	Underpressure
Pressure	0.59	0.69	0.79	5.25	0.91	1.07	1.22	Pressure
Underpressure	0.46	0.54	0.62		0.72	0.85	0.96	Underpressure
Pressure	0.51	0.60	0.68	5.50	0.83	0.97	1.10	Pressure
Underpressure	0.42	0.49	0.56		0.66	0.78	0.88	Underpressure
Pressure	0.44	0.52	0.59	5.75	0.75	0.89	1.01	Pressure
Underpressure	0.38	0.44	0.50		0.61	0.72	0.82	Underpressure
Pressure		0.45	0.52	6.00	0.69	0.81	0.92	Pressure
Underpressure		0.40	0.45		0.55	0.65	0.74	Underpressure
Pressure			0.45	6.25	0.63	0.74	0.84	Pressure
Underpressure			0.41		0.50	0.59	0.67	Underpressure
Pressure			0.40	6.50	0.58	0.68	0.78	Pressure
Underpressure			0.38		0.45	0.53	0.61	Underpressure
Pressure				6.75	0.52	0.61	0.69	Pressure
Underpressure					0.41	0.49	0.55	Underpressure
Pressure				7.00	0.45	0.53	0.60	Pressure
Underpressure					0.38	0.45	0.51	Underpressure
Pressure				7.25		0.46	0.52	Pressure
Underpressure						0.41	0.46	Underpressure
Pressure				7.50		0.40	0.46	Pressure
Underpressure							0.38	0.43
Pressure				7.75			0.40	Pressure
Underpressure								0.40
Pressure				8.00				Pressure
Underpressure								

Span table according to Belgian Eurocode norms