




# Stainless steel

Substance

*Aesthetics first*

## Applicable standards

EN 10088-1: 2014



## Appearance and applications

- TOUCH TOP:** mat aspect
- TOUCH 2B:** semi-mat aspect
- TOUCH LINE:** light brushed aspect
- TOUCH GLOSS:** gloss aspect



Cladding and roofing



Structural decking



Siding and Cassette

## Selection guide

### Outdoor

Stainless steel			Rural non polluted	Urban and industrial		Marine				Special	
Nuance	EN	AISI		Normal	Severe	20 to 10 km	10 to 3 km	Coast (< 3 km) (1)	Mixed	High U.V.	Special
18-9 E	1.4301	304	A	A	B	A	B	C	C	A	B
18-11 ML	1.4404	316 L	A	A	B	A	A	B	B	A	B

### Indoor

Stainless steel			Not aggressive			Weakly aggressive	Aggressive	Very aggressive
Nuance	EN	AISI	Low humidity	Medium humidity	High humidity	High humidity	Very high humidity	Very high humidity
18-9 E	1.4301	304	A	A	A	B	B	B
18-11 ML	1.4404	316 L	A	A	A	A	B	B

**A:** the product is suitable      **B:** as per survey      **C:** the product is not suitable

(1) For building locations within less than 1 km of any coast, consult us.